



DECLARATION OF PERFORMANCE  
0301/2013

1. Industrial Sectional Doors K2 I with torsion springs
2. Serial no.: 7582/2016
3. The door to be used as a vertical division in general constructions and garages
4. Industrial sectional door - steel sections with narrow horizontal embossment with service door without electrical drive or with an alternative drive systems:
  - GfA TSE, SE
  - NICE TOMS,
  - MFZ - STA1, STAC1, STA04, STAC04

Produced by:

KRISPOL Sp. z o.o.  
Psary Małe ul. Budowlana 1, 62-300 Września

5. Assessment and verification system of constant performance of the product: 3
6. The product was examined pursuant to the norm EN 13241-1: 2003 by TÜV Czechy, Ostrava, Audited unit 211, Notified unit 1017 which conducted the preliminary research type 3 and issued PROTOCOL FROM THE TEST OF CONFORMITY OF THE PRODUCT TYPE registration no. 1017-CPD-478/07/02/05/0, 598/70/10/BT/AO/B, 978/70/10/BT/AO/B, 1017-CPR-06.947.780

7. Declared performance:

General characteristics	Performance	Harmonized technical specification
Water resistance	class 1	EN 12425
Wind load resistance	class 3	EN 12424
Thermal resistance $U_w(W/m^2K)$	2,13	EN 12428
Air permeability	class 1	EN 12426
Safe opening	meets	EN 12605:2000
Determination of glass elements geometry	meets	EN 12605:2000
Mechanical resistance and stability	meets	EN 12605:2000
Release of dangerous substances	does not include	
Forces applied*	meets	EN 12445:2000
Low voltage compliance*	meets	Directive 2006/95/WE
Electromagnetic compliance*	meets	Directive 2004/108/WE

\*Only for the doors with drive systems

8. Performance of the product described in sections 1 and 2 are in accordance with the declared performance in section 7.

This declaration of performance is issued under the sole responsibility of the producer referred to in section 4.

On the behalf of the producer signed by:

  
Karol Krysiński  
Prezes Zarządu

Psary Małe, 02.03.2016