



# WIŚNIEWSKI

## Declaration of Performance

Declaration No: 001/CPR/2013

1. Type of product: **MAKROPRO manually operated sectional door**
2. Identification number: **Compatible with the serial number located on the tally of gate**
3. Intended use: **The door has been designed to be used as a vertical barrier for industrial, and residential buildings**
4. Name of the manufacturer: **„WIŚNIEWSKI” Sp. z o.o. S.K.A.  
PL 33-311 Wielogłowy 153**
5. Authorized representative:
6. System of assessment and verification of constancy of performance of the construction product: **3**
7. Harmonized standard: **PN-EN 13241-1 Industrial, commercial and garage doors and gates - Product standard - Part 1: Products without fire resistance or smoke control characteristics**
8. Notified body: **Institute of building engineering  
(identification number of notified body 1488)**

| 5. Decelerated performance: | Essential characteristic                   | Harmonized technical specification | Performance               |
|-----------------------------|--|------------------------------------|---------------------------|
|                             | Water tightness                            | PN-EN 13241-1 p.4.4.2              | class 1                   |
|                             | Release of dangerous substances            | PN-EN 13241-1 p.4.2.9              | not applicable            |
|                             | Resistance to wind load                    | PN-EN 13241-1 p.4.4.3              | class 2                   |
|                             | Thermal resistance                         | PN-EN 13241-1 p.4.4.5              | 1,07 [W/m <sup>2</sup> K] |
|                             | Air permeability                           | PN-EN 13241-1 p.4.4.6              | class 4                   |
|                             | Safe opening                               | PN-EN 13241-1 p.4.2.8              | Pass                      |
|                             | Definition of geometry of glass components | PN-EN 13241-1 p.4.2.5              | Pass                      |
|                             | Mechanical resistance and stability        | PN-EN 13241-1 p.4.2.3              | Pass                      |

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

„WIŚNIEWSKI” Sp. z o.o. S.K.A.

  
mgr inż. Dariusz Złocki  
Dyrektor Biura Konstrukcyjnego IIT

.....  
(signature of authorized person)



Nowy Sącz, dn. 01.07.2013  
(place and date of issue)

Wydanie 01/07.2013/EN